



Pushing Performance

People | Power | Partnership

HARTING Mobile Container 1.2.3 Release Notes



1. Edition 2020

© HARTING IT Software Development, Espelkamp

All rights reserved, including those of the translation.

No part of this manual may be reproduced in any form (print, photocopy, microfilm or any other process), processed, duplicated or distributed by means of electronic systems without the written permission of peraMIC GmbH & Co. KG, Espelkamp

Subject to alterations without notice.



Version 1.2.3 (2020-06-22)

General

The Mobile container version 1.2.3 requires MICA Firmware 5 or higher. Using MICA Firmware 7 is recommended.

The functionality of the Mobile container has been integrated into the MICA Firmware 8 and 9. To avoid conflicting settings, it is recommended to no longer use the Mobile containers on MICA Firmware 8 or newer.

Bug Fixes

- Fixed an issue that caused the Mobile container to stop searching for a mobile connection if the search was unsuccessful for 20 minutes.
- The modem gets reinitialized after each power cycle.
- General stability improvements.





Version 1.2.2 (2019-07-01)

General

The Mobile container version 1.2.2 requires MICA Firmware 5 or higher. Using MICA Firmware 7 is recommended.

New Features

- The network operator is now settable by the customer.
- The Mobile container now sends a ping per hour over existing mobile connections. This addresses the problem that some providers cut idle connections.
- Fixes to some issues that made GPS unavailable in some conditions.



Version 1.2.0 (2019-02-01)

General

The Mobile container version 1.2.0 requires MICA Firmware 2 or higher. Using MICA Firmware 5 is recommended.

New Features

- The external mobile IP address is being displayed in the UI.
- The ISP can be edited in the UI.
- The mobile service gets restarted automatically after a container or MICA restart
- The web UI of the Mica Base system is available through VPN over LTE at <https://mobileIP:8443/>